


PRODUCT
CATALOGUE

exclusive
TILES

EXPRESS
THE ALLURE OF
NATURE



200x
1200mm

Glazed
vitrified
tiles

COMPANY PROFILE

Exclusive Tiles was founded in 2009, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, Exclusive's product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Exclusive has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Exclusive Tiles continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



01

COMPANY STRENGTHS

04

High-end
Technology
Installed

1500

100%
Satisfied
Customers

30+

Export
Countries

30,000

Production Capacity
(Sq. Mts. Per Day)

04

Factories to Cater
Wide Range of
Products

Exclusive Tiles is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

INNOVATIVE TECHNOLOGY

At Exclusive tiles, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.



TECHNOLOGY INSTALLED AT THE PLANT



With high-end technology installed at our facility, we produce the best quality of tiles.



MASTER
PEACE OF
CERAMIC
CRAFTSMAN-
SHIP

200X
1200MM



Glazed
Vitrified Tiles



AVAILABLE SIZES IN POLISHED VITRIFIED TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE
[9MM] THICKNESS
IN ALL SIZES



FEATURES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



MATT FINISH

The wooden tiles with matt finish give a surreal interior to the space with its welcoming appeal and comfortable style. These tiles create a cozy ambience while giving the interior the feel of nature.





D2001

[5] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm** **[9mm]**
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2002

[5] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.exclusivetiles.co.in





D2003

[5] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant





D2004

[5] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2005

[5] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2006

[10] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.exclusivetiles.co.in





D2007

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm** **[9mm]**
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2008

[9] Random



D2009

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm** **[9mm]**
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs




Chemical
Resistant





D2010

[8] Random



D2011





[9] Random

Glazed Vitrified Tiles | Matt Finish

exclusive
TILES

www.exclusivetiles.co.in

200x
1200mm
[9mm]
Thickness

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



D2012

[8] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm**

**[9mm]
Thickness**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant





D2013

[8] Random




D2014

[8] Random

Glazed Vitrified Tiles | Matt Finish

exclusive
TILES

200x1200mm
[9mm] Thickness

- 
 < 0.08%
Water
Absorption
- 
 Scratch
Resistance
- 
 Random
Designs
- 
 Chemical
Resistant



D2015

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm** [9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2016

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant









D2017

[9] Random

Glazed Vitrified Tiles | Matt Finish

exclusive
TILES

200x1200mm
[9mm] Thickness

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant





D2018

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2019

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2020

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm** **[9mm]**
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2021

[9] Random

Glazed Vitrified Tiles | Matt Finish

exclusive
TILES

200x1200mm [9mm] Thickness



< 0.08% Water Absorption




Scratch Resistance



Random Designs



Chemical Resistant





D2022

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2023

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2024

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2025

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

**200x
1200mm**

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2026

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2027

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2028

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2029

[15] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2030

[15] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





D2031

[15] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2032

[12] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2033

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





D2034

[9] Random



D2035





[9] Random

Glazed Vitrified Tiles | Matt Finish

exclusive
TILES

www.exclusivetiles.co.in

200x
1200mm
[9mm]
Thickness

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



D2036

[9] Random

Glazed
Vitrified Tiles

Matt
Finish

exclusive
TILES

200x
1200mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



TECHNICAL SPECIFICATIONS

PORCELAIN STONEWARE - STANDARD EN 14411 (ISO 13006) ANNEX G GROUP BIA, E O.5%

CHARACTERISTICS	ISO TEST METHODS	VALUE REQUIRED	EXCLUSIVE TILES VALUE
DIMENSION			
length & Width	ISO 10545-2	± 0.3%, max 1mm	In According
Thickness		± 5%, max 0.5mm	In According
Wedging		± 0.3%, max 1.5mm	In According
Straightness of sides		± 0.3%, max 0.8mm	In According
Flatness		± 0.4%, max 1.8mm	In According
STRUCTURE			
Water Absorption - average value %	ISO 10545-3	< 0.5%	In According
Breaking Strength	ISO 10545-4	S ≥ 1300 N	S ≥ 2000 N
Modulus of rupture		R ≥ 35N/mm ²	In According
Resistance To Surface Abrasion	ISO 10545-7	According to classification indicator by mfg.	PEI IV
THERMAL SHOCK			
Coefficient of thermal linear expansion	ISO 10545-8	9x10 ⁻⁴ max	In According
Thermal Shock Resistance	ISO 10545-9	Resistant	Resistant
Resistance to frost	ISO 10545-12	Resistant	Resistant
SAFETY			
Dynamic friction coefficient	DIN 51130	According to the space or the working area	R9/R11*
CHEMICAL RESISTANCE			
Resistance To high concentrations of acids and alkalis	ISO 10545-13	Class GHC Min.	Class GHA
Resistance To low concentrations of acids and alkalis		Class GLC Min.	Class GLA
Stain Resistance	ISO 10545-14	Min. class 3	5

exclusive
TILES

PACKING DETAIL

SIZE	THICKNESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
200x1200mm	9 mm	5	1.20	12.91 kg.

OUR GROUP
OF COMPANIES

Notto
GRANITO LLP

geotech

ROYAL
EXPORTER

Geo Gres
the perfect solution

EDDICA
CERAMICS

exclusive
TILES

EXCLUSIVE TILES

1101, Nakshatra Heights,
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA
Email : export@exclusivetiles.co.in

www.exclusivetiles.co.in

