



PRODUCT
CATALOGUE

exclusive
TILES

TIMELESS
DESIGN FOR
CONTEMPORARY
INTERIOR



600x
1200mm



600x
600mm

Glazed
vitrified
tiles

COMPANY PROFILE

Exclusive Tiles was founded in 2009, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, Exclusive's product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Exclusive has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Exclusive Tiles continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



01

COMPANY STRENGTHS

04

High-end
Technology
Installed

1500

100%
Satisfied
Customers

30+

Export
Countries

30,000

Production Capacity
(Sq. Mts. Per Day)

04

Factories to Cater
Wide Range of
Products

Exclusive Tiles is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

INNOVATIVE TECHNOLOGY

At Exclusive tiles, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.



TECHNOLOGY INSTALLED AT THE PLANT



With high-end technology installed at our facility, we produce the best quality of tiles.



MASTER
PEACE OF
CERAMIC
CRAFTSMAN-
SHIP



600X
1200MM

600X
600MM

Glazed
Vitrified Tiles



AVAILABLE SIZES IN POLISHED VITRIFIED TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE
[9MM] THICKNESS
IN ALL SIZES

300
x600
mm

600
x600
mm

600
x1200
mm

200
x1200
mm

800
x800
mm

FEATURES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

GLOSSY FINISH

The glossy finish makes the room appear larger with the reflective surface giving the room a brilliant look. It enhances the design of the tiles and gives the place a luxurious style.


MATT FINISH





Matt finish gives a space a natural and simple appearance with a cozy ambience. It gives a strong character to the place with its urban and stylish look.



Glazed
Vitrified Tiles

Glossy / Matt
Finish




-  $< 0.08\%$ Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5001

[8] Random



[16] Random



Glazed
Vitrified Tiles


Glossy / Matt
Finish



G5002



G5003



G5004



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant



[2] Random



[2] Random



[2] Random



G5005

[8] Random



G5006



[16] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs







Chemical
Resistant

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



G5007

[8] Random





[16] Random



Glazed
Vitrified Tiles


Glossy / Matt
Finish







G5008




G5009



G5010

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




[2] Random







[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5011

[6] Random



[12] Random





G5012

[8] Random



G5013



[16] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs




Chemical
Resistant



G5014

[8] Random



G5015

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[16] Random






[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5016

[5] Random





[10] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



G5017



[2] Random



G5018



[2] Random



G5019



[16] Random

[8] Random



G5020



G5021

[5] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant




[2] Random







[10] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



G5022

[3] Random



[6] Random





G5023

[5] Random

G5024

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[10] Random



[2] Random



G5O25

[10] Random



G5O26

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant



[20] Random



[2] Random



G5027

[3] Random



G5028



[6] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



G5029

[4] Random



G5030

[6] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[4] Random







[6] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish




-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



G5031



[2] Random





G5032

G5033

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

**[9mm]
Thickness**

**600x
600mm**



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant




[2] Random






[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant




G5034

[4] Random








[8] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5035

[3] Random



[6] Random





G5036



G5037

[3] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[2] Random







[6] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5038

[8] Random



[16] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish







G5039



G5040




G5041

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random



[2] Random



[2] Random



G5042



G5043

[5] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

**[9mm]
Thickness**

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[2] Random




[10] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish







G5O44



G5O45




G5O46

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



G5047

[6] Random




[6] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish




G5048



G5049



G5050



[2] Random





[2] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish




G5051

[8] Random



[16] Random





G5052



G5053

[5] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[2] Random



[10] Random



G5054



G5055

[8] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[2] Random






[16] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5056

[5] Random



[10] Random





G5057



G5058

[5] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[2] Random



[10] Random




G5059

[5] Random



G5060



[10] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant



G5061



G5062

[8] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[2] Random



[16] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish







G5063




G5064



G5065

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random



[2] Random



[2] Random



G5066

[6] Random



G5067

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

**[9mm]
Thickness**

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[12] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish







G5068




G5069



G5070

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random



[2] Random







[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5071

[3] Random



[6] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish







G5072



G5073



G5074

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random



[2] Random



[2] Random



G5075

[5] Random



G5076

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[10] Random



[2] Random



G5077

[6] Random



G5078

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[12] Random







[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



G5079

[9] Random







[18] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5080

[8] Random



[16] Random





G5081

[8] Random



G5082



[16] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES

**600x
1200mm**

**[9mm]
Thickness**

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

Glazed
Vitrified Tiles

Glossy / Matt
Finish







G5083




G5084



G5085

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random



[2] Random



[2] Random



G5086




G5087

Glazed
Vitrified Tiles

Glossy / Matt
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[2] Random



[2] Random

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	EXCLUSIVE TILES VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length & Width	ISO 10545-2	± 0.5%	± 0.2%
Deviation in Thickness	ISO 10545-2	± 5%	± 3%
Straightness of sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO 10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO 10545-3	< 0.50%	< 0.04%
mohs Hardness	EN-101	Min. 5	Min. 5
Flexural Strength	ISO 10545-4	>35N/mm ²	>40N/mm ²
Skid Resistance	ISO 10545-17	>0.4	>0.4
Breaking Strength	ISO 10545-11	>1113N	>1800N
Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
Moisture Expansion	ISO 10545-10	Null	Null
Resistance To Surface Abrasion	ISO 10545-7	Abrasion class shall be specifies by the mfg.	PEIIV
CHEMICAL PROPERTIES			
Chemicals Resistance	ISO 10545-13	No Damage	No Damage
Color Resistance	ISO 10545-16	No Damage	No Damage
Stain Resistance	ISO 10545-14	Resistant	Resistant

exclusive
TILES

PACKING DETAIL

SIZE	THICKNESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
600x1200mm	9 mm	2	1.44	29.00 kg.
600x600mm	9 mm	4	1.44	27.50 kg.

OUR GROUP OF COMPANIES

Notto
GRANITO LLP

geotech

ROYAL
EXPORTER

Geo Gres
the perfect surface

EDDICA
CERAMICS

exclusive
TILES

EXCLUSIVE TILES

1101, Nakshatra Heights,
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA
Email : export@exclusivetiles.co.in

www.exclusivetiles.co.in

