

PRODUCT
CATALOGUE

exclusive
TILES

REFLECTION OF SEAMLESS LUXURY



600x
1200mm

600x
600mm

Glazed
vitrified
tiles

COMPANY PROFILE

Exclusive Tiles was founded in 2009, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, Exclusive's product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Exclusive has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Exclusive Tiles continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



01

COMPANY STRENGTHS

04

High-end
Technology
Installed

1500

100%
Satisfied
Customers

30+

Export
Countries

30,000

Production Capacity
(Sq. Mts. Per Day)

04

Factories to Cater
Wide Range of
Products

Exclusive Tiles is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

INNOVATIVE TECHNOLOGY

At Exclusive tiles, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.



TECHNOLOGY INSTALLED AT THE PLANT



With high-end technology installed at our facility, we produce the best quality of tiles.



MASTER
PEACE OF
CERAMIC
CRAFTSMAN-
SHIP



600X
1200MM

600X
600MM

Glazed
Vitrified Tiles

AVAILABLE SIZES IN POLISHED VITRIFIED TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE
[9MM] THICKNESS
IN ALL SIZES

300
x600
mm

600
x600
mm

600
x1200
mm

200
x1200
mm

800
x800
mm

FEATURES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

HIGH GLOSS FINISH

The reflective and super shiny surfaces of high gloss tiles give a luxurious look to a space. The high gloss finish enhances the design of the tiles while amplifying the decor with its chic style.





G5201


[7] Random



G5202



[14] Random



[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

Glazed
Vitrified Tiles

High Gloss
Finish



G5203




G5204




G5205

[8] Random




[2] Random



[2] Random




[16] Random



G5206

[4] Random



G5207

[4] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant



[8] Random




[8] Random



G5208

[8] Random




G5209

[8] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant




[16] Random



[16] Random


Glazed
Vitrified Tiles

High Gloss
Finish




G5210

[8] Random




[16] Random



Glazed
Vitrified Tiles


High Gloss
Finish





G5211



G5212




G5213



[2] Random




[2] Random



[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



G5214

[8] Random






[16] Random



Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant




G5215

[8] Random




[16] Random



Glazed
Vitrified Tiles

High Gloss
Finish



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs




Chemical
Resistant




G5216

[3] Random








[6] Random




Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant




G5217

[5] Random



[10] Random





G5218

[7] Random



G5219

[9] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant




[14] Random







[18] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5220

[3] Random




[6] Random




Glazed
Vitrified Tiles

High Gloss
Finish




G5221


[3] Random




G5222




G5223



[6] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5224

[8] Random





[16] Random



Glazed
Vitrified Tiles

High Gloss
Finish






G5225




G5226




G5227


-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5228

[6] Random




[12] Random



Glazed
Vitrified Tiles

High Gloss
Finish







G5229



G5230



G5231

-  $< 0.08\%$ Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5232

[5] Random




[10] Random




Glazed
Vitrified Tiles


High Gloss
Finish







G5233




G5234



G5235


-  $< 0.08\%$ Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant





[2] Random



[2] Random




[2] Random



G5236

[5] Random



G5237

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption




Scratch
Resistance




Random
Designs



Chemical
Resistant




[10] Random



[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





G5238

[6] Random




[12] Random





G5239

[4] Random




G5240

[6] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant



[8] Random



[12] Random



G5241



G5242

[5] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant



[2] Random



[10] Random



G5243

[8] Random



G5244

[8] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[16] Random






[16] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5245

[8] Random








[16] Random



Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5246

[3] Random




[6] Random



Glazed
Vitrified Tiles

High Gloss
Finish



G5247



G5248



G5249



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant



[2] Random




[2] Random



[2] Random

Glazed
Vitrified Tiles


High Gloss
Finish







G5250



G5251



G5252

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random




[2] Random





[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



G5253

[5] Random








[10] Random



Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5254

[8] Random





[16] Random




Glazed
Vitrified Tiles

High Gloss
Finish




G5255 [3] Random



G5256 [8] Random



G5257 [2] Random



[6] Random




[16] Random





[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



G5258

[4] Random



[8] Random



Glazed
Vitrified Tiles


High Gloss
Finish







G5259



G5260



G5261

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[2] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish




-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5262

[5] Random




[10] Random



Glazed
Vitrified Tiles

High Gloss
Finish







G5263 [6] Random



G5264 [4] Random




G5265 [2] Random

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[12] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant




G5266

[8] Random



[16] Random





G5267

[8] Random



G5268

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant





[16] Random



[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish




G5269

[5] Random




G5270

[3] Random



G5271

[3] Random



[10] Random




[6] Random








[6] Random

Glazed
Vitrified Tiles

High Gloss
Finish




-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5272

[5] Random




[10] Random





G5273



G5274

[3] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption




Scratch
Resistance




Random
Designs



Chemical
Resistant




[2] Random



[6] Random


Glazed
Vitrified Tiles

High Gloss
Finish




G5275





[3] Random



G5276




G5277

-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant



[6] Random




[2] Random







[2] Random

Glazed
Vitrified Tiles

High Gloss
Finish



-  < 0.08% Water Absorption
-  Scratch Resistance
-  Random Designs
-  Chemical Resistant




G5278

[5] Random




[10] Random





G5279

[8] Random



G5280

[5] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant



[16] Random



[10] Random



G5281

[3] Random



G5282

[3] Random

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption




Scratch
Resistance




Random
Designs



Chemical
Resistant



[6] Random



[6] Random



G5283

[5] Random




G5284

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant



[10] Random



[2] Random



G5285

[5] Random



G5286

Glazed
Vitrified Tiles

High Gloss
Finish

exclusive
TILES

600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant



[10] Random



[2] Random

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	EXCLUSIVE TILES VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length & Width	ISO 10545-2	± 0.5%	± 0.2%
Deviation in Thickness	ISO 10545-2	± 5%	± 3%
Straightness of sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO 10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO 10545-3	< 0.50%	< 0.04%
mohs Hardness	EN-101	Min. 5	Min. 5
Flexural Strength	ISO 10545-4	>35N/mm ²	>40N/mm ²
Skid Resistance	ISO 10545-17	>0.4	>0.4
Breaking Strength	ISO 10545-11	>1113N	>1800N
Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
Moisture Expansion	ISO 10545-10	Null	Null
Resistance To Surface Abrasion	ISO 10545-7	Abrasion class shall be specifies by the mfg.	PEIIV
CHEMICAL PROPERTIES			
Chemicals Resistance	ISO 10545-13	No Damage	No Damage
Color Resistance	ISO 10545-16	No Damage	No Damage
Stain Resistance	ISO 10545-14	Resistant	Resistant

exclusive
TILES

PACKING DETAIL

SIZE	THICKNESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
600x1200mm	9 mm	2	1.44	29.00 kg.
600x600mm	9 mm	4	1.44	27.50 kg.

OUR GROUP OF COMPANIES

Notto
GRANITO LLP

geotech

ROYAL
EXPORTER

Geo Gres
the perfect surface

EDDICA
CERAMICS

exclusive
TILES

EXCLUSIVE TILES

1101, Nakshatra Heights,
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA
Email : export@exclusivetiles.co.in

www.exclusivetiles.co.in

