

PRODUCT
CATALOGUE

exclusive
TILES

ATTRACTIVE
STYLE FOR
EVERY SPACE

**600
x1200
mm** Glazed
vitrified
tiles



COMPANY PROFILE

Exclusive Tiles was founded in 2009, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, Exclusive's product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Exclusive has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Exclusive Tiles continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



01

COMPANY STRENGTHS

04

High-end
Technology
Installed

1500

100%
Satisfied
Customers

30+

Export
Countries

30,000

Production Capacity
(Sq. Mts. Per Day)

04

Factories to Cater
Wide Range of
Products

Exclusive Tiles is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

INNOVATIVE TECHNOLOGY

At Exclusive tiles, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.




TECHNOLOGY INSTALLED AT THE PLANT



With high-end technology installed at our facility, we produce the best quality of tiles.








MASTER
PIECE OF
CERAMIC
CRAFTSMANSHIP

600X
1200MM
Glazed
Vitrified Tiles

AVAILABLE SIZES IN POLISHED VITRIFIED TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE
[9MM] THICKNESS
IN ALL SIZES



FEATURES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

GLOSSY FINISH

The glossy tiles have a charming appeal and smooth style that gives a space a beautiful and brilliant look. These shiny surfaces and their elegant designs are perfect to create a luxurious ambience for every corner of a space.

exclusive
TILES



GLOSSY
FINISH

exclusive
TILES



F4001

[4] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





F4002 [3] Random



F4003 [3] Random



F4004 [3] Random







F4005 [4] Random

Glazed
Vitrified Tiles

**600x
1200mm**

**600x
600mm**

[9mm]
Thickness

-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**



F4006 [4] Random



F4007 [4] Random



F4008 [3] Random







F4009 [4] Random

Glazed
Vitrified Tiles

600x
1200mm


600x
600mm

[9mm]
Thickness

-  <0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant

GLOSSY
FINISH


exclusive
TILES




F4010 [3] Random



F4011 [4] Random



F4012 [4] Random







F4013 [3] Random

Glazed
Vitrified Tiles

**600x
1200mm**

**600x
600mm**

[9mm]
Thickness

-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4014

[5] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



GLOSSY
FINISH

exclusive
TILES



F4015 [3] Random



F4016 [3] Random



F4017 [4] Random







F4018 [3] Random

Glazed
Vitrified Tiles

600x
1200mm


600x
600mm

[9mm]
Thickness

-  <0.08%
Water
Absorption
-  Scratch
Resistance
-  Random
Designs
-  Chemical
Resistant



F4019 [4] Random



F4020 [4] Random



F4021 [2] Random




F4022 [4] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4023

[2] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



<0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant





F4024 [2] Random





F4025 [5] Random



F4026 [4] Random



F4027 [3] Random





F4028 [4] Random




F4029 [4] Random







F4030 [4] Random




F4031 [4] Random




-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**



F4032 [4] Random





F4033 [4] Random



F4034 [4] Random



F4035 [4] Random



GLOSSY
FINISH

exclusive
TILES



F4036 [4] Random



F4037 [4] Random



F4038 [4] Random




F4039 [4] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption


 **Scratch
Resistance**

 **Random
Designs**


 **Chemical
Resistant**



F4040 [3] Random




F4041 [3] Random







F4042 [4] Random



F4043 [4] Random



-  **< 0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**



F4044 [4] Random




F4045 [4] Random







F4046 [2] Random



F4047 [3] Random



-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**



F4048 [4] Random





F4049 [4] Random



F4050 [4] Random



F4051 [4] Random





F4052 [3] Random



F4053 [3] Random



F4054 [3] Random




F4055 [3] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**



F4056 [3] Random



F4057 [3] Random



F4058 [4] Random




F4059 [4] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**



F4060 [4] Random



F4061 [3] Random



F4062 [3] Random




F4063 [3] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4064 [3] Random



F4065



F4066 [3] Random



F4067

Glazed
Vitrified Tiles

600x
1200mm

600x
600mm

[9mm]
Thickness

www.exclusivetiles.co.in



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



F4068 [4] Random



F4069 [3] Random



F4070 [3] Random




F4071 [3] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4072 [4] Random




F4073 [4] Random







F4074 [3] Random



F4075 [2] Random



www.exclusivetiles.co.in

-  **< 0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4076

[3] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant





F4077 [4] Random





F4078 [4] Random




F4079 [4] Random



F4080 [4] Random





F4081 [3] Random




F4082 [4] Random







F4083 [4] Random



F4084 [4] Random



-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4085

[3] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.exclusivetiles.co.in





F4086 [3] Random



F4087 [4] Random



F4088 [4] Random




F4089 [4] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4090 [3] Random



F4091 [3] Random



F4092 [2] Random



F4093 [2] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**


[9mm]
Thickness

www.exclusivetiles.co.in

 **<0.08%**
Water
Absorption


 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4094

[3] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant



F4095 [3] Random





F4096 [3] Random



F4097 [4] Random



F4098 [4] Random





F4099 [4] Random





F4100 [4] Random



F4101 [4] Random



F4102 [4] Random





F4103 [4] Random





F4104 [4] Random



F4105 [4] Random



F4106 [4] Random



GLOSSY
FINISH

exclusive
TILES



F4107 [4] Random




F4108 [4] Random







F4109 [4] Random



F4110 [4] Random



www.exclusivetiles.co.in

-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4111 [3] Random



F4112 [3] Random



F4113 [2] Random



F4114 [3] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**


[9mm]
Thickness

www.exclusivetiles.co.in

 **< 0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4115

[3] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





F4116 [3] Random



F4117 [3] Random



F4118 [4] Random




F4119 [4] Random


Glazed
Vitrified Tiles


600x
1200mm


600x
600mm

[9mm]
Thickness

 <0.08%
Water
Absorption


 Scratch
Resistance

 Random
Designs

 Chemical
Resistant

GLOSSY
FINISH

exclusive
TILES



F4120

[2] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant





F4121 [2] Random




F4122 [2] Random







F4123 [4] Random



F4124 [4] Random



-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**



F4125 [4] Random



F4126 [4] Random



F4127 [4] Random




F4128 [3] Random


Glazed
Vitrified Tiles


600x
1200mm


600x
600mm

[9mm]
Thickness

 <0.08%
Water
Absorption

 Scratch
Resistance

 Random
Designs

 Chemical
Resistant



F4129 [4] Random





F4130 [2] Random



F4131 [3] Random



F4132 [3] Random



GLOSSY
FINISH

exclusive
TILES



F4133 [4] Random




F4134 [3] Random







F4135 [3] Random



F4136 [3] Random



www.exclusivetiles.co.in

-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**

GLOSSY
FINISH

exclusive
TILES



F4137

[3] Random

600x
1200mm

Glazed
Vitrified Tiles

600x
600mm

[9mm]
Thickness



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



F4138 [3] Random



F4139 [3] Random



F4140 [3] Random




F4141 [3] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **< 0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**



F4142 [3] Random




F4143 [3] Random







F4144 [3] Random



F4145 [3] Random



-  **<0.08%**
Water
Absorption
-  **Scratch
Resistance**
-  **Random
Designs**
-  **Chemical
Resistant**



F4146 [4] Random





F4147 [3] Random



F4148 [4] Random



F4149 [3] Random





F4150 [4] Random



F4151 [3] Random



F4152 [4] Random




F4153 [4] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**



F4154 [3] Random





F4155 [3] Random



F4156 [3] Random



F4157 [3] Random






F4158 [4] Random



F4159 [4] Random



F4160 [4] Random




F4161 [4] Random


Glazed
Vitrified Tiles


**600x
1200mm**


**600x
600mm**

[9mm]
Thickness

 **<0.08%**
Water
Absorption

 **Scratch
Resistance**

 **Random
Designs**

 **Chemical
Resistant**

GLOSSY
FINISH


exclusive
TILES



F4162 [3] Random



F4163 [3] Random



F4164



F4165 [2] Random


Glazed
Vitrified Tiles


600x
1200mm


600x
600mm


[9mm]
Thickness

www.exclusivetiles.co.in

 <0.08%
Water
Absorption

 Scratch
Resistance

 Random
Designs

 Chemical
Resistant

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	EXCLUSIVE TILES VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length & Width	ISO 10545-2	± 0.5%	± 0.2%
Deviation in Thickness	ISO 10545-2	± 5%	± 3%
Straightness of sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO 10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO 10545-3	< 0.50%	< 0.04%
mohs Hardness	EN-101	Min. 5	Min. 5
Flexural Strength	ISO 10545-4	>35N/mm ²	>40N/mm ²
Skid Resistance	ISO 10545-17	>0.4	>0.4
Breaking Strength	ISO 10545-11	>1113N	>1800N
Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
Moisture Expansion	ISO 10545-10	Null	Null
Resistance To Surface Abrasion	ISO 10545-7	Abrasion class shall be specifies by the mfg.	PEIIV
CHEMICAL PROPERTIES			
Chemicals Resistance	ISO 10545-13	No Damage	No Damage
Color Resistance	ISO 10545-16	No Damage	No Damage
Stain Resistance	ISO 10545-14	Resistant	Resistant

exclusive
TILES

PACKING DETAIL

SIZE	THICKNESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
600x1200mm	9 mm	2	1.44	29.00 kg.
600x600mm	9 mm	4	1.44	27.50 kg.

OUR GROUP OF COMPANIES

Notto
GRANITO LLP

geotech

ROYAL
EXPORTER

Geo Gres
the perfect surface

EDDICA
CERAMICS

exclusive
TILES

EXCLUSIVE TILES

1101, Nakshatra Heights,
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA
Email : export@exclusivetiles.co.in

www.exclusivetiles.co.in

